Reference Chart for Siser[®] CAD-Materials

DESCRIPTION:	DETAILS:	COLORS:	INSTRUCTIONS:
Our #1 selling CAD-Material! Lower temperature, HOT PEEL, short application time, extremely durable wash after wash and lower pressure than our competitors! Also available in Glow in the Dark, a highly durable, white polyurethane film that casts a great glow when the light is out!	 Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5 Available in: 15" and 20"(White & Black only) 5, 10, 25 and 50 yards Glow in the Dark Available in: 20" 5, 10, 25 and 50 yards 	 White, Cream, Lemon, Yellow, Sun, Orange, Bright Red, Red, Cardinal, Pink, Maroon, Dark Maroon, Burgundy, Lime, Green, Dark Green, Sky Blue, Turquoise, Royal Blue, Navy Blue, Lilac, Purple, Brown, Gray, Charcoal, Black, Vegas Gold, Gold, Silver, Light Pink, Pale Blue, Green Apple, Bubble Gum, Hibiscus, Columbia Blue FLUORESCENTS: Yellow, Orange, Pink, Raspberry, Green, Blue Also available in Glow in the Dark! 	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 305° F/150° C PRESSURE: Medium TIME: 10-15 seconds Peel HOT or COLD
Performance wear has met its match! We deliver all the benefits of EasyWeed™ combined with super stretchability into one remarkable heat transfer material. The thinnest of any Siser® material, EasyWeed™ Stretch has a soft hand and an ultra matte finish.	 Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends, Lycra®/spandex Blade: 45°/60° Composition: PU Microns/Mils: 85/3.5 Available in: 15" 5, 10, 25, and 50 yards 	White, Yellow, Sun, Orange, Bright Red, Red, Green, Royal Blue, Navy Blue, Black, Gold, Silver	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 305° F/150° C PRESSURE: Medium-Firm TIME: 15 seconds Peel HOT or COLD For washing instructions, see tech sheet
Introducing the newest trend in CAD-Materials for the fashion industry. Its EasyWeed™ with an "electric" effect. A metallic look, with great washability!	Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5 Available in: 15" 5, 10, 25 and 50 yards }	Yellow, Orange, Red, Pink, Cherry, Purple, Blue, Lime, Copper, Silver Lens, Gold Lens	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 305° F/152° C PRESSURE: Medium TIME: 15 seconds Peel HOT or COLD For washing instructions, see tech sheet
It's all the benefits of EasyWeed™ plus it goes on nylon! Our # 1 selling CAD-Material that adheres to difficult fabrics. EasyWeed™ Extra is on a pressure sensitive carrier that makes it easier to weed small letters and fine details.	 Adheres to: lightly siliconed nylons,100% polyester, poly/cotton blends, leather (Not recommended for Lycra®/spandex) Blade: 45°/60° Composition: PU Microns/Mils: 80/3.2 Available in: 15" 5, 10, 25 and 50 yards 	White, Sun, Orange, Red, Royal Blue, Purple, Gray, Black, Silver	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 320° F/160° C PRESSURE: Light-Medium TIME: 10 seconds Peel HOT or COLD For washing instructions, see tech sheet
Great for uniforms or sports garments. This very thin, decorative heat transfer material has mesh holes that allow breathability.	Adheres to: 100% cotton, 100% uncoated polyesters, poly/cotton blends Blade: 45°/60° Composition: PU Microns/Mils: 90/3.7 Available in: 15" 5, 10, 25 and 50 yards	White, Red, Royal Blue, Navy Blue, Black	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 305° F/150° C PRESSURE: Medium TIME: 10-15 seconds Peel HOT or COLD For washing instructions, see tech sheet

fo:

1-425-481-3555

Dealer info:

SiserNA.com



Reference Chart for Siser[®] CAD-Materials

	DESCRIPTION:	DETAILS:	COLORS:	INSTRUCTIONS:
Metallic _{by Siser} *	CAD-Material with a silver or gold metallic mirror effect that really makes a logo pop! Great material for creating a special effect!	 Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Composition: PU Microns/Mils: 75/3.0 Available in: 20" 5, 10, 25 and 50 yards 	Gold, Silver	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 305° F/152° C PRESSURE: Medium TIME: 10-15 seconds Peel COLD For washing instructions, see tech sheet
VideoFlex* Moda by Siser*	Create colorful fashion looks with todays trendiest shades. This line of easy-to-use heat transfer material was specifically developed for the fashion and sportswear industry.	 Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5 Available in: 15" 5, 10, 25 and 50 yards 	Glossy White, Glossy Pink, Glossy Red, Glossy Black	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 305° F/152° C PRESSURE: Medium TIME: 10-15 seconds Peel COLD For washing instructions, see tech sheet
VideoFlex* Glitter by Siser*	Specifically designed for the fashion industry, the glitter effects are great for cheerleading dance and gymnastics. The glitter is embedded in the vinyl so it is not as hard on the blade.	Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Composition: PU Microns/Mils: 110/4.3 Available in: 15" 5, 10, 25 and 50 yards	Glitter Pink, Glitter Red, Glitter Royal Blue, Glitter Black, Glitter Silver, Glitter Gold	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 305° F/152° C PRESSURE: Medium TIME: 10-15 seconds Peel COLD For washing instructions, see tech sheet
StripFlock [®] by Siser*	A great alternative to embroidery StripFlock® gives logos a raised, textured, suede-like feel. Excellent for retro designs or anytime you want a rich look. The only flock in the industry that can be layered on itself!	 Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Composition: PVC Microns/Mils: 410/16.1 Available in: 15" 5, 10, 25 and 50 yards 	White, Lemon, Yellow, Orange, Red, Pink, Green, Pale Blue, Royal Blue, Navy Blue, Purple, Gray, Black, Bright Red, Denim, Cinnamon, Emerald, Orchid	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 320° F/160° C PRESSURE: Medium TIME: 15-20 seconds Peel COLD For washing instructions, see tech sheet
ReflectAll by Siser*	The state of the art in polyurethane reflective, cuttable materials. ReflectAlI™ is a truly remarkable product that has a higher reflective ability due to its patented glass bead technology.	 Adheres to: 100% polyester, poly/cotton blends, coated nylons, Lycra®/ spandex, leather Blade: 45°/60° Composition: PU Microns/Mils: 135-180/5.3-7.1 Available in: 20" 5, 10, 25 and 50 yards 	White, Yellow, Red, Green, Black, Silver	REMOVE LINER Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 305° F/152° C PRESSURE: Medium TIME: 5 seconds Peel HOT REPRESS FOR 5 SECONDS For washing instructions, see tech sheet
	Dealer info:	WHOLESALE VINYL CUTTERS AND SUPPLIES WWW.USCutter.com 1-425-481-3555	SiserNA.co	m Stsers for Textiles

Reference Chart for Siser[®] CAD-Materials

	DESCRIPTION:	DETAILS:	COLORS:	INSTRUCTIONS:
3D XPD [®] by Siser*	Add dimension and texture to any design with 3D XPD®. When heat applied, 3D XPD® puffs up to create a unique bubbly texture to letters and shapes. Create authentic appliqué looks without embroidery. Great for a retro vintage look.	 Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Composition: PU Microns/Mils: 235/9.3 Available in: 18" 5, 10, 25 and 50 yards 	White, Yellow, Red, Green, Sky Blue, Black	REMOVE LINER Always perform a test cut Cut in REVERSE and weed Preheat Garment 2 to 3 seconds STEP 1: TEMPERATURE: 345° F/175° C PRESSURE: Medium TIME: 5 seconds STEP 2: Lower the platen just enough to touch the garment DO NOT LOCK DOWN TIME: 15 seconds
Glitter	Add the sparkle of glitter effects to any logo with Siser's Glitter heat transfer film. Perfect for dance and cheer wear or anywhere you need some extra shine. Glass like fragments make this the ultimate in glitter transfer films.	 Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Compostion: PVC Microns/Mils: 325/12.8 Available in: 20° 5, 10, 25 and 50 yards 	Silver, Black Silver, Light Multi, Confetti, Gold, Old Gold, Black Gold, Copper, Bronze, Red, Transluscent Light Pink, Blush, Cherry, Lavender, Purple, Eggplant, Aqua, Blue, Sapphire, Jade, Emerald, Light Green, Grass, Black, Hot Pink, Royal Blue	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 320° F/160° C PRESSURE: Firm TIME: 10-15 seconds Peel HOT For washing instructions, see tech sheet
Holographic	Take your logo to the next level with Siser's Holographic. Create a three dimensional prism-like effect to make your textiles shine.	 Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Compostion: PVC Microns/Mils: 110/4.3 Available in: 20" 10, 25 and 50 yards 	Crystal, Black, Royal Blue, Navy Blue, Red, Green, Orange, Fuschia, Sky Blue, Gold, Silver, Purple, Aqua, Gold Crystal, Spectrum, Pink	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 320° F/160° C PRESSURE: Firm TIME: 10-15 seconds Peel COLD For washing instructions, see tech sheet
CADflex"	CADflex's non sticky carrier makes it perfect for athletic names, numbers and many other logos. Now you can easily cut, weed and store the stock logos you need! Great opacity, washability and durability.	 Adheres to: 100% cotton, 100% uncoated polyester, poly/cotton blends Blade: 45°/60° Composition: PVC Microns/Mils: 160-190/6.3-7.5 Available in: 20" x 27 yards 	White, Lemon, Yellow, Dark Yellow, Orange, Red, Pink, Burgundy, Kelly, Dark Green, Sky Blue, Royal Blue, Navy Blue, Purple, Brown, Gray, Black, Gold, Silver FLUORESCENTS: Yellow, Orange, Pink, Blue, Green	Always perform a test cut Cut in REVERSE and weed Preheat garment 2 to 3 seconds TEMPERATURE: 305° F/150° C PRESSURE: Medium TIME: 15 seconds Peel COLD For washing instructions, see tech sheet



www.USCutter.com

Dealer info:

SiserNA.com



1-425-481-3555